

To Debbie Jourdan/R4/USEPA/US@EPA

CC

bcc

Subject Fw: Carborundum Electo Minerals: Technical Review Comments Letter Report

---- Forwarded by Katrina Jones/R4/USEPA/US on 08/03/2009 11:16 AM -----



"Allyson Warrington" <AWarrington@otiesolutions.c om>

08/03/2009 10:12 AM

To John Nolen/R4/USEPA/US@EPA

cc "Greg Kowalski" <GKowalski@otiesolutions.com>, Katrina Jones/R4/USEPA/US@EPA, Darryl Walker/R4/USEPA/US@EPA

Subject Carborundum Electo Minerals: Technical Review Comments
Letter Report

Good Morning,

Attached is the Technical Review Comments Letter Report for the Carborundum Electro Minerals site. Comments were provided in response to TDEC's Revision 1 of the Site Inspection Report.

If you have any questions or comments, please contact me.

Sincerely,

Allyson Warrington

Senior Environmental Scientist
U.S. EPA Region 4 START Site Assessment Coordinator



1220 Kennestone Circle, Suite D Marietta, GA 30066 678-355-5550 ext. 5709 Fax: 770-528-0167

Email: awarrington@otiesolutions.com



Carborundum_TN&A Review Comments_August 2009.pdf



Oneida Total Integrated Enterprises—T N & Associates, Inc. 1220 Kennestone Circle, Suite D Marietta, GA 30066 678-355-5550 · Fax 770-528-0167 www.tnainc.com

August 3, 2009

Mr. John Nolen Remedial Project Manager U.S. Environmental Protection Agency, Region 4 61 Forsyth Street, SW, 11th Floor Atlanta, Georgia 30303

Subject: Site Inspection Report, Revision 1

Technical Assistance Review Comments

Carborundum Electro Minerals EPA Contract No. EP-W-05-053

Technical Direction Document (TDD) No. TNA-05-003-0042

Dear Mr. Nolen:

The Oneida Total Integrated Enterprises—T N & Associates, Inc. (OTIE-TN&A), Superfund Technical Assessment and Response Team (START) is submitting one copy of the Technical Assistance and Review Comments for the Carborundum Electro Minerals (CEM) Site Inspection (SI) Report, Revision 1 prepared by the Tennessee Department of Environment and Conservation (TDEC) Division of Remediation.

Please contact me at (678) 355-5550, ext. 5709 or Greg Kowalski at (678) 355-5550, ext. 5704, if you have any questions regarding these technical review comments.

Sincerely,

Allyson Warrington

START Site Assessment Coordinator

allipar Warrington

Enclosure

cc: Katrina Jones, EPA Project Officer

Darryl Walker, EPA Project Officer

Greg Kowalski, START Program Manager (w/o enclosure)

START File

TDD: TNA-05-003-0042

Technical Assistance and Review Comments

1.0 Introduction

This document specifies the results of the Oneida Total Integrated Enterprises-T N & Associates, Inc.

(OTIE-TN&A) technical assistance and review comments of the following report:

Site Name: Carborundum Electro Minerals

Document: Site Inspection Report, Revision 1 (dated September 15, 2008)

Location: Caryville, Campbell County, Tennessee

TN&A Reviewer: Allyson Warrington/Stacy Kowalski

Date of Review: July-August 2009

The Tennessee Department of Environment and Conservation (TDEC) Division of Remediation (DOR) intends to use this report as a Site Inspection (SI) Report, Revision 1 for the Carborundum Electro Minerals (CEM) site. The site is briefly described in Section 2. Section 3 explains the process used to review the SI Report, Revision 1 and general comments regarding the deliverable. The specific comments listed in Sections 4 through 10 are followed by the OTIE-TN&A recommendation for their

resolution in italics.

2.0 Site Description

CEM (the site) is located on Stone Mill Road in Caryville, Campbell County, Tennessee. The geographic coordinates of the facility are 36° 18′ 32.9″ (36.309°) North Latitude and 84° 11′ 01.1″ (84.184°) West Longitude, at the approximate center of the CEM manufacturing processes. The 136-acre property is now

residential and is occupied for commercial, agricultural, and other industrial purposes. The immediate

area surrounding the site is mixed industrial, commercial, agricultural, and residential.

1

August 2009

TDD: TNA-05-003-0042

3.0 General Comments

The SI Report, Revision 1, for the CEM site, submitted to the U.S. Environmental Protection Agency

(EPA) by TDEC, was reviewed for the following: completeness, consistency, the correct application of

the Hazard Ranking System (HRS), logic, site characteristics, reference citation, and the correct

application of the EPA Environmental Standard Operating Procedures and Quality Assurance Manual

(EISOPQAM).

4.0 Issues

4.1 General

No figures or Global Positioning System (GPS) coordinates for field samples collected prior to the 2007

SI are included; therefore, it cannot be determined whether these sample locations can be included in the

contaminated soil source.

4.2 Sources

General: When calculating the Hazardous Waste Ouantity (HWO), only the tier that generates the highest

value should be used to score the site (or pathway). OTIE-TN&A recommends that evaluation of the

other tiers be removed from the SI Report, Revision 1.

General: It is unclear from the SI Report, Revision I whether the "waste piles" located on the property

are piles of concentrated wastes, or the result of excavation and are instead piles of contaminated soil. If

the piles contain contaminated soil, the source category should be contaminated soil and not a pile.

Additionally, no size or volume information is available for the waste piles.

The exact location (GPS or illustrated on a figure) and size of the trench used for burial of suspected

hazardous substances is not available in the SI Report, Revision 1. If no samples have been collected from

the trench to verify the constituents, and the size and location are unknown, this cannot be considered a

source at this time.

2

August 2009

TDD: TNA-05-003-0042

The "New Pond" is not a source because it was not used as a surface impoundment during site

operations; it was used to manage surface water runoff. If the pond is to be considered a source, it must

be documented that the pond was used for wastewater management; it is insufficient to include this pond

as a source because it "could also have been used..."

It is unclear whether the "Natural Pond" can be considered a source. Phrases such as "believed to be"

are not sufficient to document a source. Surface impoundments must have been used to manage

wastewater or other liquid wastes during the operational history of the site. Documentation of the pond's

purpose should be included for scoring purposes.

It is unclear whether or not the "Settling Pond" can be considered a source. The SI Report, Revision I

states that the pond was constructed to handle surface water runoff from the site. Therefore, this pond is

part of the surface water migration pathway and is not considered a source.

It is unclear as to why a 50-foot zone surrounding the firing stations is included in the area calculation

for the "burn pit or pile" source (see Page 23 of 63). If the area is a pit, then the dimensions of the pit

should be measured, not approximated. If the area is a pile, then the dimensions of the pile should be

measured, not approximated. Alternatively, the area should be considered contaminated soil if there is

no physical means of separating the firing station from the surrounding land surface. If this area is

contaminated soil, then the samples should be collected from the outer edges of the area to document the

size. One contaminated soil sample collected from the area is insufficient to document the size of this

source unless there is a physical delineation on the land surface (like the edges of a pit or similar) or

documentation of the area within the file material.

The "baghouse dust disposal area" waste quantity should be evaluated as an area and not a volume. The

report states the "proposed contours" of the area, which is insufficient to evaluate the source as a

volume. A conservative estimate of the source should be used. In this case, OTIE-TN&A calculated an

area of 60,000 square feet (400 feet x 150 feet).

3

August 2009

TDD: TNA-05-003-0042

The "Horse Pen" is incorrectly evaluated as a pile (See Page 27 of 63). This source should be

considered contaminated soil. To consider a pile as a source, it is required to have been used as part of

the waste management process of the facility (see HRS Guidance Manual, p. 44, Highlight 4-1).

It is unclear where the 25-foot border for the "Cylinder Cooling" and "Thawing Shed" sources came

from. In addition, two samples in a particular area create a line and are insufficient to evaluate an area

for the source calculation. In order to determine the area for these sources, additional samples are

needed in order to "connect the dots" and form an area. Additional samples are required since it cannot

be assumed that the entire footprint is contaminated.

TDEC states that "little is known" about the purpose of the "Solution Pumphouse" area. If the purpose

and waste disposal practices of the "Solution Pumphouse" area are unclear, the source cannot be

considered a pile. A pile must be formed during waste management operations.

Not enough information is presented in the SI Report, Revision 1 to consider the "Turntable" area as a

pile. Please see all previous comments regarding the definition of a pile and other source definitions.

The contaminated soil source is double counting sources that have already been evaluated. This is an

incorrect application of the HRS Rule.

4.3 Tier Evaluations

<u>Tier A Evaluation</u>: Carbon monoxide is not listed in the Superfund Chemical Data Matrix (SCDM) and

should not be used to evaluate the site. Because the buildings and operations are no longer active at the

site, the current source is the contaminated soil that contains the particulates from the operations, not the

gasses produced 40 years ago. Additionally, the mass balance calculation is incorrect since the atomic

weight of carbon is 12, not 32. Estimations are insufficient to allow for the calculation of Tier A.

4

August 2009

TDD: TNA-05-003-0042

Tier B Evaluation: Carbon monoxide is not listed in SCDM and should not be used to evaluate the site.

Estimations are insufficient to allow for the calculation of Tier B.

4.4 Groundwater Pathway

No groundwater wells are documented in the area. No municipal water is supplied by groundwater

wells. All drinking water is supplied by a surface water intake. Therefore, the Groundwater Pathway

score equals zero.

4.5 Soil Exposure Pathway

The Soil Exposure Pathway does not allow for potential residential targets. No residences are present on

the source areas; therefore the Residential score = 0.

The nearby threat score should be based on potential contamination since no samples have been collected

from nearby residential yards within 200 feet of the home.

The exact location of nearby residential soil samples, if collected, is unclear. For a soil sample to

represent a nearby target value, the sample must have been collected from a depth of 0 to 24 inches and

from a location within 200 feet of the residential dwelling. This information is not clearly stated;

therefore, no residential targets can be assessed at this time without proper documentation that the

samples meet all criteria for the soil exposure pathway.

The population for all distance categories up to 1-mile is not listed in the report for verification of the

calculated site score.

4.6 Surface Water Migration Pathway

The exact population served by the municipal surface water intake is not included within the SI Report,

Revision 1. This information is crucial to evaluating the Surface Water Migration Pathway correctly.

Additionally, due to the proximity of the surface water intake, it is unclear why a sample was not

5

August 2009 TDD: TNA-05-003-0042

collected at the intake during the investigation. Since a sample has not been collected at the intake, all

drinking water targets must be evaluated as potential targets and multiplied by 0.1.

If there is not an observed release to the Cave Springs surface water, the Surface Water Pathway should

be evaluated on the Potential to Release.

The mileage of wetlands frontage is not listed in the report for verification of the site score calculation.

4.7 Air Pathway

The population for all distance categories in the 4-mile Target Distance Limit (TDL) is not listed in the

report to verify correct calculations in the site score.

The acreage of wetlands within the 4-mile TDL is not listed for verification of the calculation of the site

score.

5.0 Conclusion

Based on the information presented in the SI Report, Revision 1 and Quickscore, OTIE-TN&A blindly

calculated a site score for CEM. OTIE-TN&A failed to generate an appreciable site score above the

cutoff for listing on the NPL; therefore, OTIE-TN&A disagrees with the site score calculation for CEM as

presented by TDEC. EPA will determine further action for the site.

6